

**Special Status Plant Species Of The East Bay
(Alameda and Contra Costa Counties)
Includes statewide rare and unusual (locally rare) species
(* indicates statewide ranked species)
July 2021**

Following is a list of special status plant species occurring in Alameda and Contra Counties. Because of the East Bay's unique geographical setting, it serves as a melting pot for the state's vegetation with moist northern vegetation meeting drier southern habitats, and coastal meeting Great Valley. 91 taxa meet their range limit in the East Bay.

The list contains 676 species, including 24 that are still being researched to determine whether or not they actually occur, or have historically occurred, in the East Bay.

Of the 652 species that are definitely known from the two-county area, either currently or historically, 128 of them are ranked as statewide rare by the state level of CNPS. The remaining 524 are designated as unusual, or locally rare, by the East Bay Chapter, meaning they have no more than nine populations in the East Bay.

Statewide Rare: Of the 128 CNPS state ranked species known from the East Bay, 98 have current populations here, with 20 of them having only one population in the East Bay, and ten having only two. Thirty species are only known historically from the East Bay, not having been found or reported in 25 years or more. The list shows the date they were last seen here.

Unusual (Locally Rare): Of the 524 unusual species known from the East Bay, 406 have current populations here, with 95 of them having only one population in the East Bay, 83 only two, and the rest between four and nine populations. 118 species are only known historically from the East Bay, and the list shows the date they were last seen here.

The East Bay Chapter's rarity ranking system assigns either an A1 or A2 rank to both the statewide rare and locally rare species that occur here, depending on the number of populations and 11 other criteria. Ranks are based only on current, naturally occurring populations, i.e. those that have been confirmed within the last 25 years. No planted, restored, or historical populations are considered when determining rank, and no populations with questionable identifications. The East Bay Chapter also tracks an additional 286 species on a Watch List, which is not included here. The East Bay Chapter's **Rank & Criteria system** can be seen here, and the state **CNPS rarity ranking system** can be seen here.

This Special Status Species list for the East Bay only includes vascular, terrestrial plants, and does not include bryophytes or water plants, with two exceptions due to their statewide rarity.

Please note that statewide ranked rare species are indicated by an asterisk.

Scientific Name	Notes	East Bay CNPS Rarity Rank	California Rarity Rank	Common Name
<i>Abronia latifolia</i>	(historical-1894)	A1x	CEQA	yellow sand-verbena
<i>Abronia umbellata</i> var. u.	(historical-1937)	A1x	CEQA	beach sand-verbena
* <i>Acanthomintha lanceolata</i>		*A2	S3.2(CEQA) State CNPS Rank 4.2 Global Rank G3	Santa Clara thornmint
<i>Acmispon denticulatus</i>	(historical-1945)	A1x	CEQA	meadow trefoil

<i>Acmispon junceus</i> var. <i>biolettii</i>	(historical-1945)	A1x	CEQA	rush lotus
<i>Acmispon strigosus</i>		A2	CEQA	strigose trefoil
<i>Adiantum aleuticum</i>	(<i>A. jordanii</i> more common)	A1	CEQA	five-finger fern
<i>Agoseris heterophylla</i> var. <i>cryptopleura</i>		A1	CEQA	
<i>Agoseris heterophylla</i> var. <i>h.</i>		A1	CEQA	

<i>Agoseris retrorsa</i>		A2	CEQA	spear-leaved agoseris
<i>Allium acuminatum</i>		A1	CEQA	Hooker's onion
<i>Allium amplexans</i>		A2	CEQA	narrow-leaved onion
<i>Allium bolanderi</i> var. <i>b.</i>		A1	CEQA	Bolander's onion
<i>Allium crispum</i>		A1	CEQA	crinkled onion
<i>Allium falcifolium</i>		A1	CEQA	sickle-leaved onion
<i>Allium peninsulare</i> var. <i>p.</i>	(historical-1954)	A1x	CEQA	peninsular onion
* <i>Allium sharsmithiae</i>		*A1	S2.3(CEQA) State CNPS Rank 1B.3 Global Rank G2	Sharsmith's onion
<i>Allophyllum divaricatum</i>		A2	CEQA	stragglng gilia
<i>Allophyllum gilioides</i> subsp. <i>g.</i>		A2	CEQA	stragglng gilia
<i>Allophyllum gilioides</i> subsp. <i>violaceum</i>	(subsp. <i>gilioides</i> more common)	A2	CEQA	stragglng gilia
<i>Alnus rubra</i>	(<i>A. rhombifolia</i> more common)	A2	CEQA	red alder
<i>Amaranthus californicus</i>		A2	CEQA	Californian amaranth

<i>Amaranthus palmeri</i>		A1	CEQA	Palmer's amaranth
<i>Amaranthus powellii</i>		A1	CEQA	Powell's amaranth
<i>Ammannia coccinea</i>		A1	CEQA	long-leaved ammannia
* <i>Amsinckia douglasiana</i>	(historical-1938)	*A1x	S4(CEQA) State CNPS Rank 4.2 Global Rank G4	Douglas' fiddleneck
<i>Amsinckia eastwoodiae</i>		A2	CEQA	Eastwood's fiddleneck
* <i>Amsinckia grandiflora</i>		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1 Federal: FE State: CE	large-flowered fiddleneck
* <i>Amsinckia lunaris</i>		*A2	S3(CEQA) State CNPS Rank 1B.2 Global Rank G3	bent-flowered fiddleneck
<i>Amsinckia tessellata</i> var. <i>gloriosa</i>	(historical-1954)	A1x	CEQA	tessellate fiddleneck
<i>Amsinckia tessellata</i> var. <i>t.</i>		A2	CEQA	devil's lettuce
<i>Amsinckia vernicosa</i>	(historical-1937)	A1x	CEQA	waxy fiddleneck

Anagallis minima	(formerly Centunculus minimus)	A1	CEQA	chaffweed
*Androsace elongata subsp. acuta		*A2	S3S4(CEQA) State CNPS Rank 4.2 Global Rank G5?T3T4	California androsace
Anthoxanthum occidentale	(historical-198?)	A1x	CEQA	California sweet grass, vanilla grass
Antirrhinum kelloggii		A1	CEQA	lax snapdragon
Antirrhinum thompsonii	(formerly A. multiflorum)	A1	CEQA	withered snapdragon
Aphyllon californicum subsp. jepsonii		A1	CEQA	Jepson broom-rape
Aphyllon pinorum		A1	CEQA	pine broom-rape
Aphyllon vallicolum		A2	CEQA	California broom-rape
Apocynum androsaemifolium		A2	CEQA	bitter dogbane, dogbane
Aquilegia eximia	(A. formosa more common)	A1	CEQA	Van Houtte's columbine
*Arabis blepharophylla	(historical-1930)	*A1x	S4(CEQA) State CNPS Rank 4.3 Global Rank G4	coast rockcress
*Arctostaphylos auriculata		*A2	S2(CEQA) State CNPS Rank 1B.3 Global Rank G2	Mount Diablo manzanita
Arctostaphylos crustacea subsp. rosei	(historical-1913)	A1x	CEQA	Rose's manzanita
Arctostaphylos glandulosa subsp. cushingiana	(historical-1980)	A1x	CEQA	Cushing manzanita
Arctostaphylos glandulosa subsp. mollis	(historical-1941)	A1x	CEQA	
*Arctostaphylos manzanita subsp. laevigata		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G5T2	Contra Costa manzanita
*Arctostaphylos pallida		*A2	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1 Federal: FT State: CE	pallid manzanita
Argemone munita		A1	CEQA	chicalote, prickly poppy
Aristida oligantha	(? - unclear if occurs here)	A1?	CEQA	oldfield three-awn
Artemisia dracunculus		A1	CEQA	tarragon
Artemisia pycnocephala	(historical-1936)	A1x	CEQA	coastal sagewort
Arthrocnemum subterminale		A1	CEQA	Parish's glasswort
Asclepias cordifolia	(A. californica more common)	A1	CEQA	purple milkweed
Asclepias speciosa	(A. californica more common)	A2	CEQA	showy milkweed
Aspidotis californica		A1	CEQA	California lace fern

*Aspidotis carlotta-halliae	(historical-1993)	*A1x	S3(CEQA) State CNPS Rank 4.2 Global Rank G3	Carlotta Hall's lace fern
Aspidotis densa		A1x	CEQA	dense lace fern, Indian's dream
*Astragalus breweri	(historical-1993)	*A1x	S3.2(CEQA) State CNPS Rank 4.2 Global Rank G3	Brewer's milkvetch
Astragalus didymocarpus var. d.	(A. gambelianus more common)	A1	CEQA	two-seeded milkvetch
*Astragalus nuttallii var. n.	(historical-1866)	*A1x	S3.2(CEQA) State CNPS Rank 4.2 Global Rank G3T3	ocean bluff milkvetch, Nuttall's milk-vetch
Astragalus nuttallii var. virgatus	(historical-1881)	A1x	State Rank CEQA	Nuttall's milk-vetch
Astragalus oxyphysus	(?- unclear if occurs here) (A. asymmetricus more common)	A1?	State Rank CEQA	Stanislaus milkvetch, Diablo locoweed
*Astragalus tener var. t.		*A1	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2T1	alkali milkvetch
Athysanus unilateralis	(formerly Heterodraba unilateralis)	A1	CEQA	heterodraba
*Atriplex cordulata var. c.		*A1	S2(CEQA) State CNPS Rank 1B.2 Global Rank G3T2	heartscale
*Atriplex coronata var. c.		*A2	S3(CEQA) State CNPS Rank 4.2 Global Rank G4T3	crownscale
*Atriplex coronata var. vallicola	(unclear if it occurs here)	*A1?	S2(CEQA) State CNPS Rank 1B.2 Global Rank G4T2	Lost Hills Crownscale
*Atriplex depressa		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	brittlescale
Atriplex dioica	(formerly A. subspicata)	A1	CEQA	thickleaf orach, saltbush
Atriplex gmelinii var. gmelinii	(historical-1897)	A1x	CEQA	spear saltbush
Atriplex leucophylla		A1	CEQA	beach saltbush
*Atriplex minuscula		*A1	S2(CEQA) State CNPS Rank 1B.1 Global Rank G2	LESSER SALTSCALE
Atriplex serenana var. s.	(historical-1992)	A1x	CEQA	bractscale
Balsamorhiza deltoidea		A2	CEQA	deltoid balsamroot
*Balsamorhiza macrolepis		*A1	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	big-scale balsamroot

<i>Berberis aquifolium</i> var. <i>dictyota</i>	(<i>B. pinnata</i> more common)	A2	CEQA	Jepson's mahonia
<i>Berberis nervosa</i>	(<i>B. pinnata</i> more common)	A1	CEQA	Oregon grape
<i>Bidens laevis</i>		A2	CEQA	bur-marigold
* <i>Blepharizonia plumosa</i>		*A2	S1S2(CEQA) State CNPS Rank 1B.1 Global Rank G1G2	big tarplant
<i>Boechera breweri</i> subsp. <i>breweri</i>	(formerly <i>Arabis breweri</i>)	A2	CEQA	Brewer's rockcress
<i>Bolboschoenus fluviatilis</i>	(historical-1996) (formerly <i>Scirpus</i> f.)	A1x	CEQA	river bulrush

<i>Brodiaea terrestris</i> subsp. t.		A2	CEQA	dwarf brodiaea
<i>Bromus sitchensis</i> var. <i>maritimus</i>	(formerly <i>B. maritimus</i>) (var <i>carinatus</i> more common)	A1	CEQA	maritime brome
<i>Calamagrostis koelerioides</i>	(?-unclear if occurs here)	A1?	CEQA	tufted pine grass
<i>Calamagrostis nutkaensis</i>	(historical-18???)	A1x	CEQA	Pacific reed grass
* <i>Calandrinia breweri</i>		*A1	S4(CEQA) State CNPS Rank 4.2 Global Rank G4	Brewer's calandrinia
<i>Calochortus clavatus</i> var. <i>pallidus</i>		A1	CEQA	club-haired mariposa-lily
<i>Calochortus invenustus</i>	(historical-1993)	A1x	CEQA	plain mariposa-lily
* <i>Calochortus pulchellus</i>		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	Mount Diablo fairy-lantern
<i>Calochortus splendens</i>		A2	CEQA	splendid mariposa-lily
* <i>Calochortus umbellatus</i>		*A2	S3?(CEQA) State CNPS Rank 4.2 Global Rank G3?	Oakland star-tulip
<i>Calycadenia multiglandulosa</i>		A2	CEQA	sticky calycadenia
<i>Calystegia malacophylla</i> subsp. <i>pedicellata</i>		A2	CEQA	woolly morning-glory
* <i>Calystegia purpurata</i> subsp. <i>saxicola</i>	(historical-1893) (subsp. <i>purpurata</i> more common)	*A1x	S2S3(CEQA) State CNPS Rank 1B.2 Global Rank G4T2T3	coastal bluff morning-glory
<i>Calystegia soldanella</i>	(historical-1893)	A1x	CEQA	beach morning-glory
<i>Camissonia campestris</i> subsp. <i>c.</i>	(historical-1940)	A1x	CEQA	Mojave suncup
<i>Camissonia strigulosa</i>		A1	CEQA	contorted primrose
<i>Camissoniopsis cheiranthifolia</i> subsp. <i>c.</i>		A1	CEQA	dune suncup
<i>Camissoniopsis hirtella</i>		A2	CEQA	small primrose
<i>Camissoniopsis intermedia</i>		A2	CEQA	small primrose

* <i>Campanula exigua</i>		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	chaparral harebell
<i>Campanula griffinii</i>		A1	CEQA	Griffin's campanula
* <i>Campanula sharsmithiae</i>	(historical-1985)	*A1x	S1.2(CEQA) State CNPS Rank 1B.2 Global Rank G1	Sharsmith's harebell
<i>Carex aquatilis</i> var. <i>dives</i>		A1	CEQA	Sitka sedge
<i>Carex brevicaulis</i>		A1	CEQA	short-stemmed sedge
* <i>Carex comosa</i>	(historical-1988)	*A1x	S2(CEQA) State CNPS Rank 2B.1 Global Rank G5	bristly sedge
<i>Carex globosa</i>		A2	CEQA	round-fruited sedge
<i>Carex gracilior</i>		A1	CEQA	slender sedge
<i>Carex harfordii</i>		A1	CEQA	Harford's sedge
<i>Carex laeviculmis</i>		A1	CEQA	smooth-stemmed sedge
<i>Carex lenticularis</i> var. <i>lipocarpa</i>		A1	CEQA	few-ribbed sedge
<i>Carex leporina</i>	(formerly <i>Carex ovalis</i>)	A1	CEQA	hare sedge, oval sedge, mountain hare sedge
<i>Carex leptopoda</i>	(formerly <i>Carex deweyana</i> subsp <i>leptopoda</i>)	A1	CEQA	slender-footed sedge, short-scaled sedge
<i>Carex multcostata</i>		A1	CEQA	many-ribbed sedge
<i>Carex pellita</i>	(formerly <i>C. lanuginosa</i>)	A1	CEQA	woolly sedge
<i>Carex senta</i>		A2	CEQA	western rough sedge
<i>Carex unilateralis</i>		A1	CEQA	one-sided sedge
* <i>Castilleja ambigua</i> subsp. <i>ambigua</i>		*A1	S3S4(CEQA) State CNPS Rank 4.2 Global Rank G4T4	Johnny-nip
<i>Castilleja applegatei</i> subsp. <i>martinii</i>		A2	CEQA	wavy-leaved indian paintbrush
<i>Castilleja exserta</i> subsp. <i>latifolia</i>		A1	CEQA	owl's-clover
<i>Castilleja subinclusa</i> subsp. <i>franciscana</i>		A1	CEQA	Franciscan indian paintbrush
<i>Castilleja subinclusa</i> subsp. <i>s.</i>		A1	CEQA	long-leaved indian paintbrush
<i>Caulanthus flavescens</i>		A2	CEQA	yellow-flowered thelypodium
* <i>Caulanthus lemmonii</i>	(historical-1950) (formerly <i>C. coulteri</i> var. <i>l.</i>)	*A1x	S3(CEQA) State CNPS Rank 1B.2 Global Rank G3	Lemmon's jewelflower
<i>Ceanothus leucodermis</i>		A2	CEQA	chaparral whitethorn
* <i>Centromadia parryi</i> subsp. <i>congdonii</i>	(formerly <i>Hemizonia p. ssp. c.</i>)	*A2	S1S2(CEQA) State CNPS Rank 1B.1 Global Rank G3T1T2	Congdon's tarplant

<i>Cephalanthus occidentalis</i>		A1	CEQA	button bush
<i>Cercis occidentalis</i>	(historical-1986)	A1x	CEQA	western redbud
<i>Chaenactis glabriuscula</i> var. <i>g.</i>		A1	CEQA	yellow pincushion
<i>Chaenactis glabriuscula</i> var. <i>heterocarpha</i>		A1	CEQA	inner coast range pincushion
<i>Chaenactis glabriuscula</i> var. <i>megacephala</i>		A1	CEQA	yellow pincushion
<i>Chenopodium berlandieri</i> var. <i>sinuatum</i>	(historical-1932)	A1x	CEQA	
<i>Chenopodium rubrum</i>		A1	CEQA	red pigweed, goosefoot
* <i>Chlorogalum pomeridianum</i> var. <i>minus</i>		*A1	S3(CEQA) State CNPS Rank 1B.2 Global Rank G5T3	dwarf soaproot
* <i>Chloropyron maritimum</i> subsp. <i>palustre</i>	(historical-1917)	*A1x	S2(CEQA) State CNPS Rank 1B.2 Global Rank G4?T2	Point Reyes salty bird's-beak
* <i>Chloropyron molle</i> subsp. <i>hispidum</i>		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G2T1	hispid salty bird's-beak, hispid bird's-beak
* <i>Chloropyron molle</i> subsp. <i>m.</i>		*A1	S1(CEQA) State CNPS Rank 1B.2 Global Rank G2T1 State: CR Federal: FE	soft salty bird's-beak, soft bird's-beak
* <i>Chloropyron palmatum</i>		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1 Federal: FE State: CR	palmate salty bird's-beak, palmate-bracted bird's-beak
* <i>Chorizanthe cuspidata</i> var. <i>c.</i>	(historical-1881)	*A1x	S1(CEQA) State CNPS Rank 1B.2 Global Rank G2T1	San Francisco Bay spineflower
<i>Chorizanthe polygonoides</i> var. <i>p.</i>		A1	CEQA	knotweed spineflower
* <i>Chorizanthe robusta</i> var. <i>r.</i>	(historical-1913)	*A1x	S1(CEQA) State CNPS Rank 1B.1 Global Rank G2T1 Federal: FE	robust spineflower
<i>Chorizanthe uniaristata</i>	(historical-1884)	A1x	CEQA	one-awn spineflower
<i>Chrysolepis chrysophylla</i> var. <i>minor</i>		A2	CEQA	golden chinquapin
<i>Cicendia quadrangularis</i>		A2	CEQA	timwort
<i>Cicuta douglasii</i>		A2	CEQA	water-hemlock
* <i>Cicuta maculata</i> var. <i>bolanderi</i>	(historical-198?)	*A1x	S2?(CEQA) State CNPS Rank 2B.1 Global Rank G5T4T5	Bolander's water-hemlock, water hemlock

*Cirsium andrewsii		*A1	S3(CEQA) State CNPS Rank 1B.2 Global Rank G3	Franciscan thistle
Cirsium douglasii var. d.		A1	CEQA	swamp thistle
*Cirsium fontinale var. campylon		*A1	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2T2	Mount Hamilton fountain thistle
Cirsium occidentale var. californicum	(var venustum more common)	A2	CEQA	California thistle
Cirsium occidentale var. coulteri	(historical-1958)	A1x	CEQA	Coulter's thistle
Cirsium occidentale var. o.	(historical-1935)	A1x	CEQA	Cobwebby thistle
Cirsium quercetorum		A2	CEQA	brownie thistle
Cirsium remotifolium var. odontolepis		A1	CEQA	remote-leaved thistle
Clarkia biloba subsp. b.		A2	CEQA	lobed godetia
*Clarkia breweri		*A1	S4(CEQA) State CNPS Rank 4.2 Global Rank G4	Brewer's clarkia
*Clarkia concinna subsp. automixa	(subsp concinna more common)	*A1	S3(CEQA) State CNPS Rank 4.3 Global Rank G5?T3	Santa Clara red ribbons
Clarkia epilobioides		A1	CEQA	
*Clarkia franciscana		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1 Federal: FE State:CE	Presidio clarkia
Clarkia modesta		A2	CEQA	modest clarkia
Clarkia purpurea subsp. p.	(subsp. quadrivulnera more common)	A2	CEQA	purple clarkia
Clarkia purpurea subsp. viminea	(subsp. quadrivulnera more common)	A1	CEQA	large godetia
Clarkia rhomboidea		A1	CEQA	
Clarkia tembloriensis subsp. t.		A1	CEQA	temblor clarkia
Claytonia exigua subsp. glauca	(historical-1992) (subsp. exigua is more common)	A1x	CEQA	claytonia
Claytonia gypsophiloides		A2	CEQA	coast range montia
Claytonia rubra subsp. depressa	(historical-1996)	A1x	CEQA	miner's lettuce
Clintonia andrewsiana		A1	CEQA	red clintonia
Collinsia bartsiiifolia var. b.		A1	CEQA	white Chinese houses
Collinsia bartsiiifolia var. davidsonii	(historical-1926)	A1x	CEQA	White Chinese houses
Collinsia bartsiiifolia var. stricta	(?-unclear if occurs here)	A1?	CEQA	white Chinese houses
Collinsia parviflora		A2	CEQA	blue-eyed Mary

<i>Collinsia tinctoria</i>		A1	CEQA	iodine collinsia
* <i>Collomia diversifolia</i>		*A1	S4(CEQA) State CNPS Rank 4.3 Global Rank G4	serpentine collomia
<i>Collomia heterophylla</i>		A1	CEQA	variable-leaf collomia
* <i>Convolvulus simulans</i>		*A1	S4(CEQA) State CNPS Rank 4.2 Global Rank G4	small-flowered morning-glory
<i>Corallorhiza maculata</i> var. m.	(forma immaculata more common)	A2	CEQA	spotted coralroot

<i>Corallorhiza striata</i>	(historical-1994) (<i>C. maculata</i> more common)	A1x	CEQA	striped coralroot
* <i>Cordylanthus nidularius</i>		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1 State: CR	Mount Diablo bird's-beak
<i>Cordylanthus rigidus</i> subsp. r.		A1	CEQA	stiffly-branched bird's-beak
<i>Cornus glabrata</i>		A1	CEQA	brown dogwood
<i>Crassula solieri</i>	(historical-1959) (<i>C. connata</i> and <i>C. aquatica</i> are more common)	A1x	CEQA	pygmy-weed
<i>Crocidium multicaule</i>		A1	CEQA	spring gold
<i>Croton californicus</i>		A2	CEQA	California croton
<i>Cryptantha clevelandii</i> var. <i>florosa</i>		A2	CEQA	Cleveland's cryptantha
<i>Cryptantha decipiens</i>		A2	CEQA	Gravel cryptantha
* <i>Cryptantha hooveri</i>	(historical-1908)	*A1x	SH(CEQA) State CNPS Rank 1A Global Rank GH	Hoover's cryptantha
<i>Cryptantha intermedia</i> var. <i>i.</i>		A1	CEQA	common cryptantha
<i>Cryptantha micromeres</i>		A1	CEQA	minute-flowered cryptantha
<i>Cryptantha microstachys</i>		A2	CEQA	Tejon cryptantha
<i>Cryptantha muricata</i> var. <i>jonesii</i>		A1	CEQA	Jones' cryptantha
<i>Cryptantha nemaclada</i>	(historical-1995)	A1x	CEQA	Colusa cryptantha
<i>Cryptantha nevadensis</i> var. <i>rigida</i>		A1	CEQA	Nevada cryptantha
* <i>Cryptantha rattanii</i>		*A1	S4(CEQA) State CNPS Rank 4.3 Global Rank G4	Rattan's cryptantha, gravel cryptantha
<i>Cryptantha torreyana</i> var. <i>pumila</i>		A2	CEQA	Torrey's cryptantha
<i>Cucurbita foetidissima</i>		A1	CEQA	buffalo gourd, calabazilla
<i>Cuscuta californica</i> var. <i>c.</i>		A1	CEQA	California dodder
<i>Cuscuta campestris</i>		A1	CEQA	field dodder

<i>Cuscuta indecora</i> var. <i>i.</i>		A1	CEQA	large-seeded dodder
<i>Cuscuta occidentalis</i>	(historical-1994) (formerly <i>C. californica</i> var. <i>o</i>	A1x	CEQA	California dodder
<i>Cyperus erythrorhizos</i>		A2	CEQA	red-rooted cyperus
<i>Cyperus niger</i>		A1	CEQA	black sedge
<i>Cyperus odoratus</i>		A1	CEQA	coarse cyperus
<i>Cyperus strigosus</i>		A1	CEQA	false nutsedge, straw-colored cyperus
* <i>Deinandra bacigalupii</i>	(formerly <i>Hemizonia increscens</i>)	*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1 State: CE	Livermore tarplant
<i>Delphinium californicum</i> subsp. <i>c.</i>		A2	CEQA	coast larkspur, California larkspur
* <i>Delphinium californicum</i> subsp. <i>interius</i>		*A2	S3(CEQA) State CNPS Rank 1B.2 Global Rank G3T3	Hospital Canyon larkspur
<i>Delphinium gracilentum</i>	(historical-1926)	A1x	CEQA	slender larkspur, Greene's larkspur, meadow larkspur
<i>Delphinium gypsophilum</i>	(historical-199?)	A1x	CEQA	gypsum-loving larkspur
<i>Delphinium hansenii</i> subsp. <i>h.</i>		A2	CEQA	Hansen's larkspur
<i>Delphinium parryi</i> subsp. <i>p.</i>		A2	CEQA	Parry's larkspur
* <i>Delphinium recurvatum</i>	(historical-1993)	*A1x	S2?(CEQA) State CNPS Rank 1B.2 Global Rank G2?	recurved larkspur
<i>Dendromecon rigida</i>		A2	CEQA	bush poppy
<i>Descurainia pinnata</i> subsp. <i>brachycarpa</i>		A1	CEQA	tansy mustard
<i>Dicentra formosa</i>		A2	CEQA	Pacific bleeding heart
<i>Dichelostemma multiflorum</i>		A1	CEQA	many-flowered brodiaea
<i>Dichondra donelliana</i>		A1	CEQA	dichondra
<i>Diplacus bolanderi</i>	(formerly <i>Mimulus b.</i>)	A1	CEQA	Bolander's monkeyflower
<i>Diplacus douglasii</i>	(formerly <i>Mimulus d.</i>)	A2	CEQA	Douglas monkeyflower
<i>Diplacus kelloggii</i>	(historical-1988) (formerly <i>Mimulus k.</i>)	A1x	CEQA	Kellogg's monkeyflower
<i>Diplacus rattanii</i>	(formerly <i>Mimulus r.</i>)	A1	CEQA	Rattan monkeyflower
<i>Diplacus tricolor</i>	(historical-1988) (formerly <i>Mimulus t.</i>)	A1x	CEQA	tricolor monkeyflower
* <i>Dirca occidentalis</i>		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	western leatherwood
<i>Downingia bella</i>	(historical-1983)	A1x	CEQA	Hoover's downingia

<i>Downingia cuspidata</i>		A1	CEQA	cuspidate downingia
<i>Downingia insignis</i>		A1	CEQA	cupped downingia
<i>Downingia ornatissima</i> var. <i>eximia</i>	(historical-1956)	A1x	CEQA	Solano downingia
<i>Downingia pulchella</i>		A2	CEQA	flat-faced downingia
<i>Draba cuneifolia</i>		A1	CEQA	Sonora draba
<i>Dudleya cymosa</i> subsp. <i>c.</i>	(subsp. <i>paniculata</i> more common)	A1	CEQA	spreading dudleya
<i>Dudleya farinosa</i>		A1	CEQA	bluff lettuce
<i>Eastwoodia elegans</i>	(unclear if it occurs here)	A1?	CEQA	yellow mock aster
<i>Echinodorus berteroi</i>		A1	CEQA	burhead
<i>Eclipta prostrata</i>		A1	CEQA	false daisy
<i>Ehrendorferia chrysantha</i>	(formerly <i>Dicentra</i> c.)	A2	CEQA	golden ear-drops
<i>Elatine brachysperma</i>		A1	CEQA	waterwort
<i>Elatine californica</i>		A2	CEQA	waterwort
<i>Eleocharis parishii</i>		A1	CEQA	Dombey's spike-rush
* <i>Eleocharis parvula</i>	(historical-1994)	*A1x	S3(CEQA) State CNPS Rank 4.3 Global Rank G5	small spikerush
<i>Eleocharis rostellata</i>	(historical-1933)	A1x	CEQA	beaked spike-rush
<i>Elymus elymoides</i> var. <i>e.</i>		A2	CEQA	squirreltail
<i>Elymus mollis</i> subsp. <i>m.</i>		A1	CEQA	American dune grass
<i>Elymus stebbinsii</i>		A1	CEQA	Stebbins' wheat grass
<i>Elymus xsaundersii</i>	(historical-1935)	A1x	CEQA	
<i>Emmenanthe rosea</i>	(historical-1982)	A1x	CEQA	
<i>Enemion occidentale</i>	(formerly <i>Isopyrum</i> o.)	A1	CEQA	western rue-anemone
<i>Enemion stipitatum</i>	(formerly <i>Isopyrum</i> s.)	A1	CEQA	Siskiyou rue-anemone
<i>Ephedra californica</i>	(?-unclear if occurs here)	A1?	CEQA	desert tea, Mormon tea
<i>Ephedra viridis</i>	(?-unclear if occurs here)	A1?	CEQA	green ephedra
<i>Epilobium ciliatum</i> subsp. <i>watsonii</i>	(subsp <i>ciliatum</i> more common)	A1	CEQA	San Francisco willowherb
<i>Epilobium cleistogamum</i>		A1	CEQA	cleistogamous boisduvalia
<i>Epilobium torreyi</i>		A2	CEQA	narrow-leaved boisduvalia
<i>Epipactis gigantea</i>		A1	CEQA	stream orchid
<i>Eragrostis mexicana</i> subsp. <i>virescens</i>		A1	CEQA	Orcutt's eragrostis
<i>Eremalche exilis</i>		A1	CEQA	WHITE MALLOW
<i>Eremalche parryi</i> subsp. <i>p.</i>		A1	CEQA	Parry's mallow
<i>Eremothera boothii</i> subsp. <i>decorticans</i>	(formerly <i>Camissonia boothii</i> subsp. <i>decorticans</i>)	A1	CEQA	shredding evening-primrose
<i>Eriastrum abramsii</i>		A1	CEQA	Abram's eriastrum
* <i>Eriastrum ertterae</i>		*A1	S1(CEQA) State CNPS 1B.1	Erttter's eriastrum

			Global Rank G1	
<i>Eriastrum pluriflorum</i> subsp. p.		A1	CEQA	many-flowered eriastrum
<i>Ericameria arborescens</i>		A2	CEQA	golden-fleece
<i>Ericameria nauseosa</i> var. mohavensis		A2	CEQA	Mojave rabbitbrush, rubber rabbitbrush
<i>Erigeron petrophilus</i> var. p.		A2	CEQA	rock daisy
<i>Erigeron reductus</i> var. angustatus		A1	CEQA	California rayless daisy
<i>Eriogonum covilleianum</i>		A1	CEQA	Coville's wild buckwheat,
<i>Eriogonum deserticola</i>	(historical-1988)	A1x	CEQA	Desert eriogonum
<i>Eriogonum fasciculatum</i> var. foliolosum		A1	CEQA	leafy California buckwheat
<i>Eriogonum fasciculatum</i> var. polifolium		A1	CEQA	Mojave desert California buckwheat
<i>Eriogonum inerme</i> var. i.		A1	CEQA	unarmed buckwheat
* <i>Eriogonum luteolum</i> var. caninum		*A1	S2(CEQA) State CNPS Rank 1B.2 Global Rank G5T2	Tiburon buckwheat
<i>Eriogonum luteolum</i> var. l.		A1	CEQA	golden-carpet wild buckwheat, golden carpet
<i>Eriogonum nudum</i> var. pauciflorum		A1	CEQA	little-flower wild buckwheat
* <i>Eriogonum nudum</i> var. psychicola		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G5T1	Antioch Dunes buckwheat
<i>Eriogonum nudum</i> var. pubiflorum	(historical-1929)	A1x	CEQA	Fremont's wild buckwheat
* <i>Eriogonum truncatum</i>		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1	Mount Diablo buckwheat
* <i>Eriogonum umbellatum</i> var. smallianum		*A2	S3(CEQA) State CNPS Rank 4.2 Global Rank G5T3	Small's sulphur flower, bay buckwheat
* <i>Eriophyllum jepsonii</i>		*A2	S3(CEQA) State CNPS Rank 4.3 Global Rank G3	Jepson's woolly sunflower
<i>Eriophyllum staechadifolium</i>		A2	CEQA	seaside woolly sunflower, lizard-tail
<i>Eriophyllum wallacei</i>	(?-unclear if occurs here)	A1?	CEQA	Wallace's woolly daisy
* <i>Eryngium aristulatum</i> var. hooveri		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G5T1	Hoover's button-celery
<i>Eryngium armatum</i>		A1	CEQA	coastal button-celery
<i>Eryngium articulatum</i>		A1	CEQA	beethistle, coyote-thistle
<i>Eryngium castrense</i>		A1	CEQA	great valley coyote-thistle

* <i>Eryngium jepsonii</i>		*A2	S2(CEQA) State CNPS 1B.2 Global Rank G2	Jepson's coyote-thistle
* <i>Eryngium racemosum</i>		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1 State CE	delta button-celery
* <i>Eryngium spinosepalum</i>		*A1	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	
<i>Eryngium vaseyi</i> var. <i>vallicola</i>		A1	CEQA	coyote-thistle, Vasey's coyote-thistle
* <i>Erysimum capitatum</i> var. <i>angustatum</i>	(subsp <i>capitatum</i> more common	*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G5T1 Federal FE State CE	Contra Costa wallflower
<i>Erythranthe androsacea</i>	(?-unclear if occurs here) (formerly <i>Mimulus</i> a.)	A1?	CEQA	androsace monkeyflower
<i>Erythranthe floribundus</i>	(?-unclear if occurs here) (formerly <i>Mimulus</i> f.)	A1?	CEQA	floriferous monkeyflower
* <i>Erythranthe laciniatus</i>	(historical-1901) (formerly <i>Mimulus</i> l.)	*A1x	S4(CEQA) State CNPS 4.3 Global Rank G4	cut-leaved monkeyflower
<i>Erythranthe latidens</i>	(formerly <i>Mimulus</i> l.)	A1	CEQA	broad-toothed monkeyflower
<i>Eschscholzia caespitosa</i>		A1	CEQA	tufted poppy
* <i>Eschscholzia rhombipetala</i>		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1	diamond-petaled California poppy
<i>Euonymus occidentalis</i> var. <i>o.</i>		A1	CEQA	burning bush
<i>Extriplex californica</i>	(historical-1921)	A1x	CEQA	California orach, California saltbush
* <i>Extriplex joaquinana</i>		*A2	S2(CEQA) State CNPS Rank 1B.1 Global Rank G2	San Joaquin spearscale
<i>Festuca elmeri</i>		A1	CEQA	Elmer's fescue
<i>Fraxinus dipetala</i>		A2	CEQA	flowering ash
<i>Fremontodendron californicum</i>	(historical-1921)	A1x	CEQA	flannelbush
* <i>Fritillaria agrestis</i>		*A2	S3(CEQA) State CNPS Rank 4.2 Global Rank G3	stinkbells
* <i>Fritillaria falcata</i>		*A1	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	talus fritillary

*Fritillaria liliacea		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	fragrant fritillary
*Galium andrewsii subsp. gatense		*A2	S3(CEQA) State CNPS Rank 4.2 Global Rank G5T3	phlox-leaf serpentine bedstraw, serpentine bedstraw
Galium porrigens var. tenue	(var porrigens more common	A1	CEQA	climbing bedstraw
Galium trifidum subsp. columbianum	(historical-1992)	A1x	CEQA	trifid bedstraw
Garrya congdonii	(historical-1995)	A1x	CEQA	Congdon's silk-tassel
Garrya flavescens		A2	CEQA	silk tassel bush
Garrya fremontii	(historical-1992)	A1x	CEQA	silk tassel bush
Gaultheria shallon		A1	CEQA	salal
Gilia achilleifolia subsp. a.	(subsp. multicaulis more common)	A2	CEQA	California gilia
Gilia capitata subsp. c.		A1	CEQA	blue field gilia
*Gilia millefoliata	(unlikely it occurs here)	*A1?	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	dark-eyed gilia
Gilia tricolor subsp. t.		A2	CEQA	birds-eye gilia
Githopsis diffusa subsp. robusta		A1	CEQA	southern bluecup
Githopsis specularioides		A2	CEQA	common bluecup
Glyceria leptostachya		A1	CEQA	narrow manna grass
Glyceria xoccidentalis		A2	CEQA	western manna grass
Gratiola ebracteata		A1	CEQA	bractless hedge-hyssop
Helenium bigelovii	(H puberulum more common	A1	CEQA	Bigelow's sneezeweed
Helianthella californica var. c.		A1	CEQA	California helianthella
*Helianthella castanea		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	Diablo helianthella
Helianthus gracilentus		A2	CEQA	slender sunflower
Hesperervax acaulis var. ambusticola	(historical-1994) (H. sparsiflora more common	A1x	CEQA	fire evax
*Hesperervax caulescens	(H. sparsiflora more common	*A2	S3(CEQA) State CNPS Rank 4.2 Global Rank G3	hogwallow starfish
Hesperocyparis sargentii	(formerly Cupressus s.)	A1	CEQA	Sargent cypress
*Hesperolinon breweri		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	Brewer's western flax
Hesperolinon clevelandii		A1	CEQA	Cleveland's dwarf flax

<i>Hesperolinon disjunctum</i>		A1	CEQA	dwarf flax
<i>Hesperolinon micranthum</i>		A2	CEQA	small-flowered dwarf flax
* <i>Hesperolinon tehamense</i>	(unclear if it occurs here)	*A1?	S2(CEQA) State CNPS Rank 1B.3 Global Rank G2	Napa western flax
<i>Hesperomecon linearis</i>	(historical-1982) (formerly <i>Meconella l.</i>)	A1x	CEQA	narrow-leaved meconella

<i>Heterocodon rariflorum</i>		A1	CEQA	heterocodon
<i>Heterotheca oregona</i> var. <i>rudis</i>		A1	CEQA	Oregon goldenaster
<i>Heterotheca oregona</i> var. <i>scaberrima</i>		A1	CEQA	Oregon goldenaster
<i>Heterotheca sessiliflora</i> var. <i>bolanderioides</i>		A1	CEQA	golden aster
* <i>Hibiscus lasiocarpus</i> var. <i>occidentalis</i>		*A1	S3(CEQA) State CNPS Rank 1B.2 Global Rank G5T3	rose-mallow
<i>Hoita orbicularis</i>	(historical-1936)	A1x	CEQA	round-leaved psoralea
* <i>Hoita strobilina</i>	(historical-1865)	*A1x	S2?(CEQA) State CNPS Rank 1B.1 Global Rank G2?	Loma Prieta hoita
* <i>Holocarpha macradenia</i>		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1 Federal FT State CE	Santa Cruz tarplant
<i>Holozonia filipes</i>		A1	CEQA	whitecrown, holozonia
<i>Hordeum depressum</i>		A2	CEQA	low barley, alkali barley
<i>Hordeum jubatum</i> subsp. <i>j.</i>		A2	CEQA	squirreltail barley
<i>Horkelia californica</i> var. <i>c.</i>		A1	CEQA	California horkelia
<i>Horkelia californica</i> var. <i>elata</i>		A2	CEQA	tall horkelia
* <i>Horkelia cuneata</i> var. <i>sericea</i>	(historical-1894)	*A1x	S1?(CEQA) State CNPS Rank 1B.1 Global Rank G4T1?	Kellogg's horkelia
<i>Hornungia procumbens</i>		A1	CEQA	prostrate hutchinsia
<i>Hosackia crassifolia</i> var. <i>c.</i>		A1	CEQA	broad-leaved lotus
<i>Hosackia stipularis</i> var. <i>s.</i>		A1	CEQA	stipulate lotus
<i>Hydrocotyle ranunculoides</i>		A1	CEQA	floating marsh pennywort
<i>Hydrocotyle verticillata</i>		A2	CEQA	whorled marsh pennywort
<i>Hydrophyllum occidentale</i>		A1	CEQA	western waterleaf
<i>Hypericum scouleri</i>	(historical-193?)	A1x	CEQA	Scouler's st. john's wort

<i>Idahoia scapigera</i>		A1	CEQA	flat-pod
<i>Iris douglasiana</i>		A2	CEQA	Douglas iris
* <i>Iris longipetala</i>		*A1	S3(CEQA) State CNPS Rank 4.2 Global Rank G3	coast iris
* <i>Isocoma arguta</i>	(historical-date unknown)	*A1x?	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1	Carquinez goldenbush
<i>Isoetes howellii</i>		A1	CEQA	Howell's quillwort
<i>Isolepis carinata</i>	(formerly <i>Scirpus koilolepis</i>)	A1	CEQA	dwarf club-rush
* <i>Juglans hindsii</i>	(formerly <i>J. californica</i> var. h)	*A2	S4(CEQA) State CNPS Rank 4.2 Global Rank G4	northern California black walnut
<i>Juncus ambiguus</i>		A1	CEQA	frog rush, toad-rush
<i>Juncus articulatus</i> subsp. a.		A1	CEQA	jointed rush
<i>Juncus bufonius</i> var. <i>occidentalis</i>	(historical-1895) (var. <i>bufonius</i> more common)	A1x	CEQA	western toad rush, toad rush
<i>Juncus dubius</i>	(historical-1990)	A1x	CEQA	Mariposa rush
<i>Juncus ensifolius</i>	(?-unclear if occurs here)	A1?	CEQA	dagger rush, swordleaved rush, three-stamened rush
<i>Juncus lescurii</i>		A1	CEQA	salt rush
<i>Juncus oxymiris</i>		A1	CEQA	pointed rush
<i>Juncus phaeocephalus</i> var. p.		A2	CEQA	brownheaded rush
<i>Keckiella breviflora</i> var. <i>breviflora</i>		A2	CEQA	gaping penstemon
<i>Kopsiopsis strobilacea</i>	(formerly <i>Boschniakia</i> s.)	A1	CEQA	California ground-cone
<i>Laennecia coulteri</i>	(formerly <i>Conyza</i> c.)	A1	CEQA	Coulter's horseweed
<i>Lastarriaea coriacea</i>		A1	CEQA	leather-spineflower
* <i>Lasthenia conjugens</i>		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1 Federal FE	Contra Costa goldfields
* <i>Lasthenia ferrisiae</i>		*A1	S3(CEQA) State CNPS Rank 4.2 Global Rank G3	Ferris' goldfields
<i>Lasthenia fremontii</i>		A1	CEQA	Fremont's goldfields
<i>Lasthenia glabrata</i> subsp. g.		A2	CEQA	yellow-ray goldfields
<i>Lasthenia maritima</i>	(historical-19??)	A1x	CEQA	maritime goldfields
<i>Lasthenia microglossa</i>		A2	CEQA	small-ray goldfields
<i>Lasthenia minor</i>		A1	CEQA	coastal goldfields
<i>Lasthenia platycarpha</i>		A1	CEQA	alkali goldfields
* <i>Lathyrus jepsonii</i> var. j.		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G5T2	delta tule pea, Delta tule pea

<i>Layia chrysanthemoides</i>		A1	CEQA	smooth layia
<i>Layia gaillardoides</i>		A2	CEQA	woodland layia
<i>Layia glandulosa</i>	(historical-1983)	A1x	CEQA	white layia
<i>Layia hieracioides</i>		A2	CEQA	tall layia
<i>Leersia oryzoides</i>		A1	CEQA	rice cutgrass
* <i>Legenere limosa</i>		*A1	S2(CEQA) State CNPS Rank 1B.1 Global Rank G2	legenere
<i>Lepidium acutidens</i>		A2	CEQA	sharp-toothed pepper-grass
<i>Lepidium dictyotum</i>		A1	CEQA	alkali pepper-grass
<i>Lepidium oblongum</i>	(historical-1937)	A1x	CEQA	wayside pepper-grass
<i>Lepidium oxycarpum</i>		A2	CEQA	sharp-podded pepper-grass
<i>Lepidospartum squamatum</i>	(historical-1933)	A1x	CEQA	California broom-shrub
<i>Leptochloa fusca</i> subsp. <i>fascicularis</i>		A1	CEQA	bearded sprangletop
<i>Leptochloa fusca</i> subsp. <i>uninervia</i>		A1	CEQA	mexican sprangletop
* <i>Leptosiphon acicularis</i>	(formerly <i>Linanthus a.</i>)	*A1	S4?(CEQA) State CNPS Rank 4.2 Global Rank G4?	bristly leptosiphon, bristly linanthus
* <i>Leptosiphon ambiguus</i>	(formerly <i>Linanthus a.</i>)	*A2	S4(CEQA) State CNPS Rank 4.2 Global Rank G4	serpentine leptosiphon, serpentine linanthus
<i>Leptosiphon bolanderi</i>	(formerly <i>Linanthus b.</i>)	A1	CEQA	Bolander's leptosiphon
* <i>Leptosiphon grandiflorus</i>	(formerly <i>Linanthus g.</i>)	*A1	S3S4(CEQA) State CNPS Rank 4.2 Global Rank G3G4	large-flowered leptosiphon, large-flowered linanthus
<i>Leptosiphon liniflorus</i>	(formerly <i>Linanthus l.</i>)	A1	CEQA	flax-flowered leptosiphon
<i>Leptosiphon pygmaeus</i> subsp. <i>continentalis</i>	(formerly <i>Linanthus p.</i> subsp. <i>c.</i>)	A2	CEQA	pygmy leptosiphon
<i>Leptosyne calliopsidea</i>	(historical-1986) (formerly <i>Coreopsis c.</i>)	A1x	CEQA	leafy-stemmed coreopsis
* <i>Leptosyne hamiltonii</i>	(formerly <i>Coreopsis h.</i>)	*A1	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	Mount Hamilton coreopsis
<i>Leptosyne stillmanii</i>	(historical-1993) (formerly <i>Coreopsis s.</i>)	A1x	CEQA	Stillman's coreopsis
* <i>Lessingia hololeuca</i>	(historical-1940)	*A1x	S2S3(CEQA) State CNPS Rank 3 Global Rank G2G3	woolly-headed lessingia
<i>Lessingia nana</i>	(historical-1988)	A1x	CEQA	dwarf lessingia
<i>Lessingia nemaclada</i>		A1	CEQA	slender-stemmed lessignia
<i>Lessingia pectinata</i> var. <i>tenuipes</i>		A2	CEQA	valley lessingia

<i>Lessingia ramulosa</i>		A1	CEQA	
* <i>Lessingia tenuis</i>		*A1	S4(CEQA) State CNPS Rank 4.3 Global Rank G4	spring lessingia
<i>Lewisia rediviva</i> var. r.		A1	CEQA	bitterroot
<i>Ligusticum apiifolium</i>		A2	CEQA	Pacific lovage
* <i>Lilaeopsis masonii</i>		*A2	S2(CEQA) State CNPS Rank 1B.1 Global Rank G2 State CR	Mason's lilaeopsis
<i>Lilium pardalinum</i> subsp. p.		A1	CEQA	leopard lily
<i>Limnanthes douglasii</i> subsp. d.		A1	CEQA	meadowfoam
<i>Limnanthes douglasii</i> subsp. nivea	(historical-1993)	A1x	CEQA	meadowfoam
<i>Limnanthes douglasii</i> subsp. rosea	(historical-1994)	A1x	CEQA	meadowfoam
<i>Limosella acaulis</i>		A2	CEQA	southern mudwort
<i>Limosella aquatica</i>	(historical-1993)	A1x	CEQA	northern mudwort
<i>Linanthus dichotomus</i> subsp. meridianus		A1	CEQA	Evening snow
<i>Linum lewisii</i>	(historical-1936)	A1x	CEQA	western blue flax
<i>Lithophragma bolanderi</i>		A2	CEQA	Bolander starflower
<i>Lithophragma cymbalaria</i>	(historical-1895)	A1x	CEQA	mission star
<i>Lomatium caruifolium</i> var c.		A2	CEQA	caraway-leaved lomatium
<i>Ludwigia hexapetala</i>	(?-unclear if occurs here)	A1?	CEQA	primrose-willow, ludwigia
<i>Ludwigia palustris</i>	(historical-1988)	A1x	CEQA	American marsh purslane
<i>Lupinus affinis</i>		A1	CEQA	lupine
* <i>Lupinus albifrons</i> var <i>abramsii</i>		*A1?	S3?(CEQA) State CNPS Rank 3.2 Global Rank G5T3?Q	Abram's lupine
<i>Lupinus arboreus</i>		A2	CEQA	yellow bush lupine
<i>Lupinus benthamii</i>	(historical-1955)	A1x	CEQA	spider lupine
<i>Lupinus chamissonis</i>	(historical-1963)	A1x	CEQA	Chamisso's bush lupine
<i>Lupinus concinnus</i>		A1	CEQA	Bajada lupine
<i>Lupinus luteolus</i>	(historical-1957)	A1x	CEQA	butter lupine
<i>Lupinus littoralis</i> var <i>variicolor</i>	(?-unclear if occurs here) (formerly <i>L. variicolor</i>)	A1?	CEQA	bluff lupine
<i>Lycopus asper</i>		A1	CEQA	bugleweed
<i>Lysimachia maritima</i>		A1	CEQA	sea-milkwort
<i>Lythrum californicum</i>		A2	CEQA	California loosestrife
<i>Madia anomala</i>		A1x	CEQA	plump-seeded madia
* <i>Madia radiata</i>	(historical-1941)	*A1x	S3(CEQA) State CNPS Rank 1B.1 Global Rank G3	showy golden madia, showy madia

*Malacothamnus hallii	(M. fasciculatus in Jepson Manual	*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	Hall's bush-mallow
-----------------------	-----------------------------------	-----	--	--------------------

Malacothrix californica	(historical-1895)	A1x	CEQA	California malacothrix
Malacothrix clevelandii		A1	CEQA	Cleveland's malacothrix
Malacothrix coulteri		A1	CEQA	snake's-head
Matricaria occidentalis	(historical-1938) (formerly Chamomilla o.)	A1x	CEQA	valley mayweed, valley pineapple weed
Meconella californica		A1	CEQA	California meconella
*Meconella oregana		*A1	S2(CEQA) State CNPS Rank 1B.1 Global Rank G2G3	Oregon meconella
Melica bulbosa		A1	CEQA	onion grass
Mentha canadensis		A1	CEQA	American cornmint
Mentzelia affinis		A1	CEQA	hydra stick-leaf
Mentzelia dispersa		A1	CEQA	Nada stick-leaf
Mentzelia laevicaulis	(historical-1969)	A1x	CEQA	blazing star
Mentzelia lindleyi		A1	CEQA	Lindley's blazing star
Mentzelia micrantha		A1	CEQA	small-flowered stick-leaf
Mentzelia pectinata	(historical-1935)	A1x	CEQA	San Joaquin blazing star
Micropus amphibolus	(historical - 1955)	*A1x	S3.2?(CEQA) State CNPS Rank 3.2 Global Rank G3	Mount Diablo cottonseed, Mt. Diablo cottonweed
Micropus californicus var. subvestitus	(var. californicus more common)	A1	CEQA	slender cottonweed
Microseris acuminata		A1	CEQA	Sierra Foothills microseris
Microseris bigelovii	(historical-1891)	A1x	CEQA	coast microseris
Microseris campestris		A1	CEQA	San Joaquin microseris
Microseris elegans		A1	CEQA	elegant microseris
*Microseris sylvatica		*A1	S4(CEQA) State CNPS Rank 4.2 Global Rank G4	sylvan microseris
Mimetanthe pilosus	(formerly Mimulus p.)	A2	CEQA	downy monkeyflower
Minuartia californica		A1	CEQA	California sandwort
Minuartia pusilla		A1	CEQA	annual sandwort
Mirabilis laevis var. crassifolia	(formerly M. californica)	A1	CEQA	wishbone bush, California four o'clock
Moehringia macrophylla		A2	CEQA	large-leaved sandwort
Monardella breweri subsp. b.	(historical-1868)	A1x	CEQA	Brewer's monardella
Monardella douglasii		A2	CEQA	fenestra monardella
Monardella sheltonii	(?-unclear if occurs here)	A1?	CEQA	Shelton's monardella
Monolepis nuttalliana		A1	CEQA	Nuttall's poverty weed

* <i>Monolopia gracilens</i>		*A1	S3(CEQA) State CNPS Rank 1B.2 Global Rank G3	woodland woollythreads, woodland monolopia
<i>Monolopia lanceolata</i>	(historical-1941)	A1x	CEQA	common hillside daisy, common monolopia
<i>Montia linearis</i>	(historical-1933)	A1x	CEQA	linear-leaved montia
<i>Morella californica</i>	(formerly <i>Myrica</i> c.)	A2	CEQA	wax myrtle
<i>Muilla maritima</i>		A2	CEQA	common muilla
* <i>Myosurus minimus</i> subsp. a.		*A1	S2(CEQA) State CNPS Rank 3.1 Global Rank G5T2Q	little mousetail
<i>Myosurus minimus</i> subsp. m.		A1	CEQA	common mouse-tail
<i>Myosurus sessilis</i>		A1	CEQA	sessile mouse-tail
<i>Myriopteris gracillima</i>		A1	CEQA	lace fern
<i>Myriopteris intertexta</i>		A2	CEQA	coastal lip fern
<i>Navarretia atractyloides</i>		A2	CEQA	holly-leaved navarretia
* <i>Navarretia cotulifolia</i>		*A1	S4(CEQA) State CNPS Rank 4.2 Global Rank G4	cotula navarretia
* <i>Navarretia gowenii</i>		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1	Lime Ridge navarretia
<i>Navarretia hamata</i> subsp. <i>parviloba</i>		A1	CEQA	hooked navarretia
* <i>Navarretia heterandra</i>		*A1	S4(CEQA) State CNPS Rank 4.3 Global Rank G4	Tehama navarretia
<i>Navarretia intertexta</i>		A1	CEQA	needle-leaved navarretia
* <i>Navarretia nigelliformis</i> subsp. n.	(?-unclear if occurs here)	*A2?	S3.2(CEQA) State CNPS Rank 4.2 Global Rank G4T3	adobe navarretia
* <i>Navarretia nigelliformis</i> subsp. <i>radians</i>		*A1	S2(CEQA) State CNPS Rank 1B.2 Global Rank G4T2	shining navarretia
* <i>Navarretia prostrata</i>		*A1	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	prostrate vernal pool navarretia
<i>Navarretia tagetina</i>	(historical-1927)	A1x	CEQA	marigold navarretia
<i>Navarretia viscidula</i>		A1	CEQA	sticky navarretia
<i>Nicotiana attenuata</i>		A1	CEQA	coyote tobacco
<i>Nitrophila occidentalis</i>		A1	CEQA	nitrophila
<i>Nuttallanthus texanus</i>		A2	CEQA	blue toadflax
<i>Oenothera deltooides</i> subsp. <i>cognata</i>		A2	CEQA	desert evening-primrose

* <i>Oenothera deltooides</i> subsp. <i>howellii</i>		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G5T1 Federal FE State CE	Antioch Dunes evening-primrose
<i>Oenothera elata</i> subsp. <i>hookeri</i>		A2	CEQA	evening-primrose
<i>Osmorhiza brachypoda</i>		A2	CEQA	California cicely
<i>Oxalis oregana</i>		A1	CEQA	redwood sorrel
<i>Oxalis pilosa</i>	(formerly <i>O. albicans</i> subsp. <i>p.</i>)	A1	CEQA	hairy wood-sorrel
<i>Papaver californicum</i>		A2	CEQA	fire poppy
<i>Parietaria hespera</i> var. <i>californica</i>		A1	CEQA	California pellitory
<i>Pectocarya penicillata</i>		A1	CEQA	northern pectocarya, winged pectocarya
<i>Pectocarya pusilla</i>		A2	CEQA	little pectocarya
<i>Pediomelum californicum</i>		A2	CEQA	indian breadroot
<i>Penstemon centranthifolius</i>		A2	CEQA	scarlet bugler
<i>Penstemon heterophyllus</i> var. <i>purdyi</i>	(var. <i>heteropyllus</i> more common)	A1	CEQA	foothill penstemon
<i>Pentachaeta alsinoides</i>		A2	CEQA	tiny pentachaeta
<i>Pentachaeta exilis</i> subsp. <i>e.</i>		A1	CEQA	meager pentachaeta
* <i>Perideridia gairdneri</i> subsp. <i>g.</i>		*A1	S3.S4(CEQA) State CNPS Rank 4.2 Global Rank G5T3T4	Gairdner's yampah
<i>Perideridia oregana</i>		A1	CEQA	yampah
<i>Persicaria hydropiperoides</i>	(formerly <i>Polygonum h.</i>)	A1	CEQA	false waterpepper, water-pepper
<i>Persicaria lapathifolia</i>	(formerly <i>Polygonum l.</i>)	A2	CEQA	willow weed
<i>Petasites frigidus</i> var. <i>palmatus</i>		A1	CEQA	western sweet coltsfoot
<i>Petunia parviflora</i>		A1	CEQA	wild petunia
<i>Phacelia douglasii</i>		A1	CEQA	Douglas' phacelia
<i>Phacelia egena</i>	(historical-1956)	A1x	CEQA	phacelia
<i>Phacelia malvifolia</i> var. <i>m.</i>		A2	CEQA	stinging phacelia
* <i>Phacelia phacelioides</i>		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	Mount Diablo phacelia
<i>Phacelia ramosissima</i>		A2	CEQA	branching phacelia
<i>Phacelia rattanii</i>		A2	CEQA	Rattan's phacelia
<i>Phacelia suaveolens</i>		A1	CEQA	sweet-scented phacelia
<i>Phacelia tanacetifolia</i>		A2	CEQA	tansy phacelia
<i>Phalaris angusta</i>	(historical-1912)	A1x	CEQA	narrow canary grass
<i>Phalaris arundinacea</i>		A1	CEQA	reed canary grass
<i>Phalaris californica</i>	(historical-1943)	A1x	CEQA	California canary grass

<i>Phalaris lemmonii</i>	(historical-1940)	A1x	CEQA	Lemmon's canary-grass
<i>Phyla lanceolata</i>	(historical-1978)	A1x	CEQA	fog-fruit
<i>Pilularia americana</i>		A1	CEQA	pillwort
<i>Pinus attenuata</i>		A1	CEQA	knobcone pine
* <i>Piperia michaelii</i>		*A2	S3(CEQA) State CNPS Rank 4.2 Global Rank G3	Michael's rein-orchid
<i>Piperia unalascensis</i>		A1x	CEQA	Alaska piperia, slender-spire orchid
* <i>Plagiobothrys chorisianus</i> var. <i>chorisianus</i>	(historical-1890)	*A1x	S1(CEQA) State CNPS Rank 1B.2 Global Rank G3T1Q	Choris' popcornflower
* <i>Plagiobothrys diffusus</i>		*A1	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1Q State CE	San Francisco popcornflower
<i>Plagiobothrys fulvus</i> var. <i>campestris</i>		A2	CEQA	field popcornflower, fulvous popcornflower
* <i>Plagiobothrys glaber</i>		*A1	SX(CEQA) State CNPS Rank 1A Global Rank GX	hairless popcornflower
<i>Plagiobothrys humistratus</i>		A2	CEQA	dwarf allocarya
<i>Plagiobothrys infectivus</i>	(historical-1995)	A1x	CEQA	dye popcornflower
<i>Plagiobothrys leptocladus</i>		A1	CEQA	alkali plagiobothrys
<i>Plagiobothrys undulatus</i>		A1	CEQA	coast allocarya
<i>Plantago maritima</i>	(historical-1989)	A1x	CEQA	Pacific seaside plantain
<i>Plantago subnuda</i>		A2	CEQA	Mexican plantain
<i>Platanthera dilatata</i> var. <i>leucostachys</i>	(historical-1891) (formerly <i>P. leucostachys</i>)	A1x	CEQA	white-flowered bog-orchid
<i>Plectritis congesta</i> subsp. <i>c.</i>	(historical-1996)	A1x	CEQA	sea blush
<i>Poa douglasii</i>	(historical-1882)	A1x	CEQA	sanddune bluegrass
<i>Poa howellii</i>		A1	CEQA	Howell's bluegrass
<i>Pogogyne douglasii</i>	(historical-1940)	A1x	CEQA	Douglas' pogogyne
<i>Pogogyne zizyphoroides</i>		A1	CEQA	Sacramento beardstyle
* <i>Polemonium carneum</i>	(historical-1974)	*A1x	S3(CEQA) State CNPS Rank 2B.2 Global Rank G3G4	Oregon polemonium, great polemonium
<i>Polygala californica</i>		A1	CEQA	California milkwort
<i>Polypodium scouleri</i>		A1	CEQA	leather-leaf fern
<i>Polystichum californicum</i>		A1	CEQA	California sword fern
<i>Polystichum imbricans</i> subsp. <i>i.</i>	(historical-1883)	A1x	CEQA	rock sword fern
* <i>Potamogeton zosteriformis</i>	(historical-1949)	*A1x	S3(CEQA) State CNPS Rank 2B.2 Global Rank G5	eel-grass pondweed
<i>Potentilla anserina</i> subsp. <i>pacifica</i>		A2	CEQA	Pacific silverweed

<i>Primula clevelandii</i> var. <i>gracilis</i>	(historical-1996) (subsp <i>patulum</i> more common)	A1x	CEQA	Padre's shooting star
<i>Pseudognaphalium biolettii</i>	(formerly <i>Gnaphalium bicolor</i>)	A2	CEQA	Bioletti's cudweed
<i>Pseudognaphalium microcephalum</i>	(formerly <i>Gnaphalium canescens</i>)	A1	CEQA	white everlasting
<i>Psilocarphus brevissimus</i> var. <i>b.</i>		A2	CEQA	dwarf woollyheads, dwarf woolly-marbles
* <i>Psilocarphus brevissimus</i> var. <i>multiflorus</i>	(?-unclear if occurs here) (var. <i>brevissimus</i> more common)	*A1?	S3(CEQA) State CNPS Rank 4.2 Global Rank G4T3	delta woolly-marbles
<i>Psilocarphus chilensis</i>	(formerly <i>P. tenellus</i> var. <i>globiferus</i>)	A1	CEQA	round woolly marbles, round woolly-marbles
<i>Psilocarphus oregonus</i>		A2	CEQA	Oregon woolly-marbles
<i>Puccinellia nutkaensis</i>	(historical-1991)	A1x	CEQA	Alaska alkali grass
<i>Puccinellia nuttalliana</i>		A1	CEQA	Nuttall's alkali grass
* <i>Puccinellia simplex</i>		*A1	S2(CEQA) State CNPS Rank 1B.2 Global Rank G3	little alkali grass
<i>Pyrrocoma racemosa</i> var. <i>r.</i>	(historical-1959)	A1x	CEQA	racemose pyrrocoma
<i>Quercus agrifolia</i> x <i>wislizeni</i>	(historical-1939)	A1x	CEQA	coast live oak x interior live oak
<i>Quercus agrifolia</i>		A2	CEQA	coast live oak, encina
<i>Quercus garryana</i> x <i>dumosa</i>	(historical-1972)	A1x	CEQA	Oregon oak x scrub oak
<i>Quercus garryana</i> x <i>durata</i>		A1	CEQA	Oregon oak x leather oak
<i>Quercus palmeri</i>		A2	CEQA	Palmer's oak
<i>Quercus parvula</i> var. <i>shrevei</i>		A1	CEQA	island scrub oak
<i>Quercus xepplingii</i>		A1	CEQA	Oregon oak x blue oak
<i>Quercus xjolonensis</i>	(?-unclear if occurs here)	A1?	CEQA	blue oak x valley oak
* <i>Ranunculus lobbii</i>		*A2	S3(CEQA) State CNPS Rank 4.2 Global Rank G4	Lobb's aquatic buttercup
<i>Ranunculus orthorhynchus</i> var. <i>bloomeri</i>	(historical-198?)	A1x	CEQA	Bloomer's buttercup
<i>Ranunculus orthorhynchus</i> var. <i>o.</i>	(historical-1895)	A1x	CEQA	straight-beaked buttercup
<i>Ribes amarum</i>	(?-unclear if occurs here)	A1?	CEQA	bitter gooseberry
<i>Ribes aureum</i> var. <i>gracillimum</i>		A2	CEQA	golden currant
<i>Ribes speciosum</i>		A1	CEQA	fuchsia-flowered gooseberry
<i>Romanzoffia californica</i>		A1	CEQA	Suksdorf's romanzoffia
<i>Rorippa palustris</i> subsp. <i>p.</i>		A2	CEQA	marsh yellow-cress
<i>Rubus spectabilis</i>	(historical-1972)	A1x	CEQA	salmonberry
<i>Rumex crassus</i>		A2	CEQA	willow dock

<i>Rumex fueginus</i>		A2	CEQA	golden dock
<i>Rumex occidentalis</i>		A1	CEQA	western dock
<i>Sagittaria latifolia</i>	(historical-198?)	A1x	CEQA	arrowhead
<i>Salix breweri</i>	(historical-1993)	A1x	CEQA	Brewer's willow
<i>Salix melanopsis</i>	(historical-1969)	A1x	CEQA	dusky willow
<i>Salix scouleriana</i>		A2	CEQA	Scouler's willow
<i>Salvia carduacea</i>	(historical-1946)	A1x	CEQA	thistle sage
<i>Salvia spathacea</i>		A1	CEQA	hummingbird sage
<i>Samolus parviflorus</i>	(historical-1996)	A1x	CEQA	water-pimpernel
<i>Sanicula arctopoides</i>	(historical-198?)	A1x	CEQA	footsteps of spring
<i>Sanicula laciniata</i>		A2	CEQA	coast sanicle
* <i>Sanicula maritima</i>	(historical-1936)	*A1x	S2(CEQA) State CNPS Rank 1B.1 Global Rank G2 State: CR	adobe sanicle
* <i>Sanicula saxatilis</i>		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2 State: CR	rock sanicle
<i>Schoenoplectus tabernaemontani</i>	(historical-1986)	A1x	CEQA	soft-stem bulrush
<i>Scoliopus bigelovii</i>	(historical-1900)	A1x	CEQA	fetid adder's tongue, slink pod
<i>Scribneria bolanderi</i>		A2	CEQA	Scribner's grass
<i>Scutellaria californica</i>		A2	CEQA	California skullcap
* <i>Scutellaria galericulata</i>	(historical-1949)	*A1x	S2(CEQA) State CNPS Rank 2B.2 Global Rank G5	marsh skullcap
<i>Scutellaria siphocampyloides</i>		A1	CEQA	gray-leaved skullcap
<i>Sedella pentandra</i>		A1	CEQA	Mount Hamilton sedella
<i>Sedum radiatum</i>		A1	CEQA	star-fruited stonecrop
* <i>Senecio aphanactis</i>		*A1	S2(CEQA) State CNPS Rank 2B.2 Global Rank G3	chaparral ragwort
<i>Senecio flaccidus</i> var. <i>douglasii</i>		A2	CEQA	Douglas' threadleaf ragwort
<i>Senecio hydrophilus</i>		A1	CEQA	alkali-marsh ragwort
<i>Sesuvium verrucosum</i>		A2	CEQA	western sea-purslane
<i>Setaria parviflora</i>		A1	CEQA	Perennial foxtail
<i>Sidalcea diploscypha</i>		A1	CEQA	fringed checkerbloom
<i>Silene antirrhina</i>		A1	CEQA	snapdragon catchfly
<i>Silene lemmonii</i>		A1	CEQA	Lemmon's catchfly
<i>Silene verecunda</i>		A1	CEQA	San Francisco catchfly
<i>Sisyrinchium californicum</i>		A1	CEQA	golden-eyed-grass
<i>Sium suave</i>		A1	CEQA	hemlock water-parsnip

<i>Sparganium eurycarpum</i> var. e.		A1	CEQA	bur-reed
<i>Sparganium eurycarpum</i> var. <i>greenei</i>		A1	CEQA	Greene's bur-reed
<i>Spergularia macrotheca</i> var. <i>leucantha</i>		A2	CEQA	large-flowered sand spurry
* <i>Spergularia macrotheca</i> var. <i>longistyla</i>		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G5T2	large-flowered sand spurry
<i>Spergularia macrotheca</i> var. m.		A2	CEQA	large-flowered sand spurry
<i>Spiranthes porrifolia</i>	(historical-1983)	A1x	CEQA	western ladies' tresses
<i>Spiranthes romanzoffiana</i>		A1	CEQA	hooded ladies' tresses
<i>Sporobolus airoides</i>		A1	CEQA	alkali sacaton
<i>Stachys ajugoides</i>		A2	CEQA	bugle hedge nettle
<i>Stachys bullata</i>	(?-unclear if occurs here)	A1?	CEQA	California hedge-nettle
<i>Stephanomeria elata</i>		A2	CEQA	stephanomeria
<i>Stipa lemmonii</i> var. l.	(formerly <i>Achnatherum</i> l.)	A1	CEQA	Lemmon needlegrass
* <i>Streptanthus albidus</i> subsp. <i>peramoenus</i>		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2T2	most beautiful jewelflower
<i>Streptanthus breweri</i>		A1	CEQA	Brewer's streptanthus
* <i>Streptanthus hispidus</i>		*A2	S2(CEQA) State CNPS Rank 1B.3 Global Rank: G2	Mount Diablo jewelflower
* <i>Stuckenia filiformis</i> subsp. <i>alpina</i>	(historical-1996) (formerly <i>Potamogeton</i> f.)	*A1x	S2S3(CEQA) State CNPS Rank 2B.2 Global Rank G5T5	slender-leaved potamogeton
<i>Stylocine gnaphaloides</i>		A2	CEQA	everlasting neststraw
* <i>Suaeda californica</i>	(historical-1958)	*A1x	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1 Federal: FE	California seablite
<i>Symphotrichum frondosum</i>	(historical-1958)	A1x	CEQA	short-rayed alkali aster
<i>Symphotrichum lanceolatum</i> var. <i>hesperium</i>		A1	CEQA	marsh aster
* <i>Symphotrichum lentum</i>		*A2	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	Suisun marsh aster
<i>Taxus brevifolia</i>		A1	CEQA	Pacific yew
<i>Tetrapteron graciliflorum</i>		A2	CEQA	hill sun cup
<i>Thermopsis californica</i> var. c.	(historical-1929)	A1x	CEQA	false-lupine
<i>Thysanocarpus radians</i>		A1	CEQA	ribbed fringe pod
<i>Tolmiea diplomenziesii</i>	(historical-1990)	A1x	CEQA	pig-a-back plant
<i>Torreyochloa pallida</i> var. <i>pauciflora</i>	(historical-198?)	A1x	CEQA	weak manna grass
<i>Toxicoscordion paniculatum</i>	(?-unclear if occurs here)	A1?	CEQA	panicled zygadene

<i>Toxicoscordion venosum</i> var. v.		A1	CEQA	death-camas
<i>Trianthera portulacastrum</i>	(historical-1990)	A1x	CEQA	horse purslane
<i>Trifolium barbigerum</i>		A2	CEQA	bearded clover
<i>Trifolium depauperatum</i> var. d.		A2	CEQA	dwarf sack clover
<i>Trifolium flavulum</i>		A1	CEQA	bull clover
<i>Trifolium gambelii</i>		A1	CEQA	bull clover
<i>Trifolium grayi</i>		A1	CEQA	Gray's clover
* <i>Trifolium hydrophilum</i>		*A1	S2(CEQA) State CNPS Rank 1B.2 Global Rank G2	saline clover
<i>Trifolium lilacinum</i>		A1	CEQA	Gray's clover
<i>Trifolium macraei</i>		A1	CEQA	double-headed clover
<i>Trifolium olivaceum</i>		A2	CEQA	olive clover
<i>Trifolium wormskioldii</i>		A1	CEQA	cow clover
<i>Triglochin concinna</i> var. c.		A1	CEQA	slender arrow-grass
<i>Triglochin striata</i>		A2	CEQA	three-ribbed arrowgrass
<i>Triodanis biflora</i>		A2	CEQA	Venus' looking-glass
<i>Triphysaria versicolor</i> var. <i>faucibarbata</i>		A2	CEQA	smooth owl's-clover
<i>Trisetum canescens</i>		A2	CEQA	tall trisetum
<i>Triteleia peduncularis</i>		A1	CEQA	long-rayed brodiaea
* <i>Tropidocarpum capparideum</i>	(historical-1981)	*A1x	S1(CEQA) State CNPS Rank 1B.1 Global Rank G1	caper-fruited tropicocarpum
<i>Tropidocarpum gracile</i>		A2	CEQA	slender tropidocarpum
<i>Vancouveria planipetala</i>	(historical-1898)	A1x	CEQA	inside-out flower
<i>Verbena hastata</i>		A1	CEQA	blue vervain
* <i>Viburnum ellipticum</i>		*A1	S3?(CEQA) State CNPS Rank 2B.3 Global Rank G1	oval-leaved viburnum
<i>Vicia hassei</i>		A2	CEQA	slender vetch
<i>Viola adunca</i> subsp. a.		A1	CEQA	western blue violet
<i>Viola douglasii</i>		A1	CEQA	Douglas' violet
<i>Viola glabella</i>		A2	CEQA	stream violet
<i>Viola purpurea</i> subsp. p.	(subsp. quercetorum more common)	A1	CEQA	mountain violet
<i>Viola sempervirens</i>		A1	CEQA	redwood violet
<i>Viola sheltonii</i>		A2	CEQA	fan violet
* <i>Wolffia brasiliensis</i>		*A1	S2(CEQA) State CNPS Rank 2B.3 Global Rank G5	Brazilian watermeal
<i>Zeltnera tricantha</i>	(historical-197?)	A1x	CEQA	alkali centaury